Plant Pathology (1993) **42**, 933–941

Author index

Albiach R. *see* Moreno P., 35
Alfaro-García A. *see* Jordá-Gutierrez C., 722
Alivizatos A.S. Association of mycoplasma-like organisms with tomato big bud disease in Greece, 158
Aloi C. & Baayen R.P. Examination of the relationships between vegetative compatibility groups and races in *Fusarium oxysporum* f.sp. *dianthi*, 839
Aminuddin *see* Raj S.K., 811
Andrivon D. & de Vallavieille-Pope C. Racial diversity and complexity in regional populations of *Erysiphe graminis* f.sp. *hordei* in France over a 5-year period, 443
Antoniw J.F. *see* Tahiri-Alaoui A., 728
Antoniw J.F. *see* Xie W.S., 465
Askew D.J. & Laing M.D. An adapted selective medium for the quantitative isolation of *Trichoderma* species, 686

Baayen R.P. *see* Aloi C., 839
Baayen R.P. *see* Manicom B.Q., 851
Bailey J.A. *see* O'Connell R.J., 774
Ballester-Olmos J.F. *see* Moreno P., 35
Ballester-Olmos J.F., Pina J.A., Carbonell E.A., Moreno P., Hermoso de Mendoza A., Cambra M. & Navarro L. Biological diversity of citrus tristeza virus (CTV) isolates in Spain, 219
Bardin R. *see* Poupard P., 873
Barker H. *see* Harrison J.G., 181
Bateman G.L. Development of disease symptoms and fungal pathogens on shoot bases in continuous winter wheat, and effects of fungicides, 595
Ben-Yephet Y., Reuven M. & Mor Y. Selection methods for determining resistance of carnation cultivars to *Fusarium oxysporum*f.sp. *dianthi*, 517
Bennett I.J. *see* Cahill D.M., 865
Beswetherick J.T. & Bishop C.D. An ultrastructural study of tomato roots inoculated with pathogenic and non-pathogenic necrotrophic fungi and a saprophytic fungus, 577
Bevan J.R., Clarke D.D. & Crute I.R. Resistance to *Erysiphe fischeri* in two populations of *Senecio vulgaris*, 636
Bevan J.R., Crute I.R. & Clarke D.D. Diversity and variation in expression of resistance to *Erysiphe fischeri* in *Senecio vulgaris*, 647
Bevan J.R., Crute I.R. & Clarke D.D. Variation for virulence in *Erysiphe fischeri* from *Senecio vulgaris*, 622
Biddle A.J. *see* Wang D., 42
Bilton J. *see* Latif Z., 172
Bishop C.D. *see* Beswetherick J.T., 577
Blakeman J.P. Pathogens in the foliar environment (Presidential address), 479
Blenis P.V. *see* Klein-Gebbinck H.W., 132
Boccardo G. *see* Caciagli P., 294
Bødker L., Leroul N. & Smedegaard-Petersen V. The occurrence in Denmark of black root rot of pea caused by *Thielaviopsis basicola*, 820
Bødker L., Lewis B.G. & Coddington A. The occurrence of a new genetic variant of *Fusarium oxysporum* f.sp. *pisi*, 833
Bonello P. & Pearce R.B. Biochemical defence responses in primary roots of Scots pine challenged *in vitro* with *Cylindrocarpon destructans*, 203
Bosque-Perez N.A. *see* Thottappilly G., 494
Botha W.J. Root rot of tree lucerne caused by *Phytophthora nicotianae*, 824

Boudreau M.A. Effect of intercropping beans with maize on the severity of angular leaf spot of beans in Kenya, 16
Brasier C.M., Robredo F. & Ferraz J.F.P. Evidence for *Phytophthora cinnamomi* involvement in Iberian oak decline, 140
Bridge P.D., Ismail M.A. & Rutherford M.A. An assessment of aesculin hydrolysis, vegetative compatibility and DNA polymorphism as criteria for characterizing pathogenic races within *Fusarium oxysporum* f.sp. *vasinfectum*, 264
Brown A.E. *see* Cooke L.R., 432
Brown A.E. *see* Finlay A.R., 67
Brown J.K.M. *see* Martinelli J.A., 195
Brown J.K.M., Simpson C.G. & Wolfe M.S. Adaptation of barley powdery mildew populations in England to varieties with two resistance genes, 108

Caciagli P., Boccardo G., Lisa V. & Lovisolo O. Tamus red mosaic virus, a potexvirus from black bryony (*Tamus communis*), 294
Cahill D.M., Bennett I.J. & McComb J.A. Mechanisms of resistance to *Phytophthora cinnamomi* in clonal, micropropagated *Eucalyptus marginata*, 865
Cambra M. *see* Ballester-Olmos J.F., 219
Cambra M. *see* Navas-Castillo J., 339
Can F. *see* Valverde R.A., 657
Capper A.L. & Higgins K.P. Application of *Pseudomonas fluorescens* isolates to wheat as potential biological control agents against take-all, 560
Carbonell E.A. *see* Ballester-Olmos J.F., 219
Cavelier N. *see* Poupard P., 873
Chalutz E. *see* Droby S., 418
Chang L. *see* Huang C.H., 100
Cherif M. & Harrabi M. Transgressive segregation for resistance to *Pyrenophora teres* in barley, 617
Chet I. *see* Elad Y., 324
Clark M.F. *see* Sarindu N., 396
Clarke D.D. *see* Bevan J.R., 622, 636, 647
Clarkson J.P. & Lucas J.A. Screening for potential antagonists of *Pseudocercosporella herpotrichoides*, the causal agent of eyespot disease of cereals 1. Bacteria, 543
Clarkson J.P. & Lucas J.A. Screening for potential antagonists of *Pseudocercosporella herpotrichoides*, the causal agent of eyespot disease of cereals 2. Fungi, 552
Cockbain A.J. *see* Wang D., 42
Coddington A. *see* Bødker L., 833
Cohen L. & Eyal Z. The histology of processes associated with the infection of resistant and susceptible wheat cultivars with *Septoria tritici*, 737
Cohen L. *see* Droby S., 418
Cohen R., Leibovich G., Shtienberg D. & Paris H.S. Variability in the reaction of squash (*Cucurbita pepo*) to inoculation with *Sphaerotheca fuliginea* and methodology of breeding for resistance, 510
Cole J.S. *see* Winch J.E., 187
Coley-Smith J.R. *see* Morris R.A.C., 915
Collin H.A. *see* Donovan A., 691
Cooke L.R., Watters B.S. & Brown A.E. The effect of fungicide sprays on the incidence of apple canker (*Nectria galligena*) in Bramley's Seedling, 432
Cooper R.M. *see* Flood J., 168
Corre J. *see* Manzanares M.J., 378
Cother E.J. & Gilbert R.L. Comparitive pathogenicity of *Pythium* species associated with poor seedling establishment of rice in Southern Australia, 151
Crous P.W., Phillips A.J.L. & Wingfield M.J. New records of *Cylindrocladium* and *Cylindrocladiella* spp. in South Africa, 302
Crute I.R. *see* Bevan J.R., 622, 636, 647

de Beer C. *see* Morris M.J., 814
de Milliano W.A.J. *see* Frederickson D.E., 368

de Vallaveille-Pope C. *see* Andrivon D., 443
Défago G. 2,4-Diacetylphloroglucinol, a promising compound in biocontrol (Letter to the Editor), 311
Dekens R.G. *see* Rubiales D., 93
Derrick K. *see* Navas-Castillo J., 339
DeVay J.E. *see* Stapleton J.J., 333
Dewey F.M. *see* Priestley R.A., 403
Dewey F.M. *see* Thornton C.R., 763
Dietzgen R.G. *see* Perry K.L., 806
Disthaporn S., Hau B. & Kranz J. Comparison of sampling procedures for two rice diseases: leaf blast and tungro, 313
Donovan A., Isaac S. & Collin H.A. Inhibitory effects of essential oil components extracted from celery (*Apium graveolens*) on the growth of *Septoria apiicola*, causal agent of leaf spot disease, 691
Droby S., Chalutz E., Horev B., Cohen L., Gaba V., Wilson C.L. & Wisniewski M. Factors affecting UV-induced resistance in grapefruit against the green mould decay caused by *Penicillium digitatum*, 418
Dumas-Gaudot E. *see* Tahiri-Alaoui A., 728

Elad Y., Zimand G., Zaqs Y., Zuriel S. & Chet I. Use of *Trichoderma harzianum* in combination or alteration with fungicides to control cucumber grey mould (*Botrytis cinerea*) under commercial greenhouse conditions, 324
Epton H.A.S. *see* Leifert C., 270
Eyal Z. *see* Cohen L., 737

Fahy P. *see* Gillings M., 744
Faretra F. & Pollastro S. Genetics of sexual compatibility and resistance to benzimidazole and dicarboximide fungicides in isolates of *Botryotinia fuckeliana* (*Botrytis cinerea*) from nine countries, 48
Ferraz J.F.P. *see* Brasier C.M., 140
Finlay A.R. & Brown A.E. The relative importance of *Colletotrichum musae* as a crown-rot pathogen on Windward Island bananas, 67
Firsching K.H. *see* Tiedemann A.V., 287
Fleming C.C. *see* Zaheer K., 609
Flood J., Mepsted R., Velez A., Paul T. & Cooper R.M. Comparison of virulence of isolates of *Fusarium oxysporum* f.sp. *elaeidis* from Africa and South America, 168
Frederickson D.E., Mantle P.G. & de Milliano W.A.J. Windborne speed of ergot disease (*Claviceps africana*) in sorghum A-lines in Zimbabwe, 368
Fuchs Y. *see* Prusky D., 900

Gaba V. *see* Droby S., 418
Gianinazzi S. *see* Tahiri-Alaoui A., 728
Gilbert R.L. *see* Cother E.J., 151
Gilligan C.A. *see* Thornton C.R., 763
Gillings M. & Fahy P. Genetic diversity of *Pseudomonas solanacearum* biovars 2 and N2 assessed using restriction endonuclease analysis of total genomic DNA, 744
Gillings M.R., Tesoriero L.A. & Gunn L.V. Detection of double-stranded RNA and virus-like particles in Australian isolates of *Pythium irregulare*, 6
Gómez-Guillamón M.L. *see* Jordá-Gutierrez C., 722
Gómez-Vázquez J. *see* González-Torres R., 858
González-Torres R., Meléro-Vara J.M., Gómez-Vázquez J. & Jiménez-Díaz R.M. The effects of soil solarization and soil fumigation on fusarium wilt of watermelon grown in plastic houses in south-eastern Spain, 858
Gretenkort M.A. & Helsper J.P.F.G. Disease assessment of pea lines with resistance to foot rot pathogens: protocols for *in vitro* selection, 676
Grimault V. & Prior P. Bacterial wilt resistance in tomato associated with tolerance of vascular tissues to *Pseudomonas solanacearum*, 589

Guerri J. *see* Moreno P., 35
Gunn L.V. *see* Gillings M.R., 6
Gutteridge R.J., Hornby D., Hollins T.W. & Prew R.D. Take-all in autumn-sown wheat, barley, triticale and rye grown with high and low inputs, 425
Guy P.L. Barley yellow dwarf viruses in Japanese pasture grasses and lack of correlation with the presence of fungal endophytes, 1

Habili N. *see* Perry K.L., 806
Hall S.M. *see* Hide G.A., 707
Harrabi M. *see* Cherif M., 617
Harris D.C., Yang J.R. & Ridout M.S. The detection and estimation of *Verticillium dahliae* in naturally infested soil, 238
Harrison B.D. *see* Wong S.M., 137
Harrison J.G., Rees E.A., Barker H. & Lowe R. Detection of spore balls of *Spongospora subterranea* on potato tubers by enzyme-linked immunosorbent assay, 181
Hau B. *see* Disthaporn S., 313
Helsper J.P.F.G. *see* Gretenkort M.A., 676
Hermoso de Mendoza A. *see* Ballester-Olmos J.F., 219
Herve Y. *see* Manzanares M.J., 378
Hide G.A. & Hall S.M. Development of resistance to thiabendazole in *Helminthosporium solani* (silver scurf) as a result of potato seed tuber treatment, 707
Higgins K.P. *see* Capper A.L., 560
Hillocks R.J. *see* Marley P.S., 212
Hiratsuka Y. *see* Klein-Gebbinck H.W., 132
Hollins T.W. *see* Gutteridge R.J., 425
Hollins T.W. *see* Nicholson P., 58
Horev B. *see* Droby S., 418
Hornby D. *see* Gutteridge R.J., 425
Howitt R.L.J. *see* Pearson M.N., 127
Huang C.H., Chang L. & Tsai J.H. The partial characterization of melon vein-banding mosaic virus, a newly recognized virus infecting cucurbits in Taiwan, 100

Isaac S. *see* Donovan A., 691
Ismail M.A. *see* Bridge P.D., 264

Jackson G.V.H. *see* Pearson M.N., 127
Jackson G.V.H. *see* Winch J.E., 187
Jayasinghe C.K. The natural occurrence of *Thanatephorus cucumeris* leaf spot on *Hevea brasiliensis* in Sri Lanka, 473
Jeffries P. *see* Koomen I., 230
Jenkinson P. *see* Nicholson P., 905
Jiménez-Díaz R.M. *see* González-Torres R., 858
Jordá-Gutiérrez C., Gómez-Guillamón M.L., Juárez M. & Alfaro-García A. Clostero-like particles associated with a yellows disease in south-eastern Spain, 722
Juárez M. *see* Jordá-Gutierrez C., 722

Kalra A., Parameswaran T.N. & Ravindra N.S. *Rhizoctonia* foliar blight of *Rosmarinus officinalis*, 827
Kato M. *see* Mosa A.A., 26
Kaufmann A., Koenig R. & Rohloff H. Influence of beet soil-borne virus on mechanically inoculated sugar beet, 413
Kemp G.H.J. *see* Van der Westhuizen I.P., 661
Keon J.P.R. *see* O'Connell R.J., 774
Kerssies A. Influence of environmental conditions on dispersal of *Botrytis cinerea* conidia and on post-harvest infection of gerbera flowers grown under glass, 754
Khalid S. & Soomro M.H. Banana bunchy top disease in Pakistan, 923

Klein-Gebbinck H.W., Blenis P.V. & Hiratsuka Y. Fireweed (*Epilobium angustifolium*) as a possible inoculum reservoir for root-rotting *Armillaria* species, 132
Knight C. *see* Leifert C., 270
Kobayashi K. *see* Mosa A.A., 26
Kobiler I. *see* Plumbley R.A., 116
Kobiler I. *see* Prusky D., 900
Koenig R. *see* Kaufman A., 413
Konareva T.N. *see* Vishnichenko V.K., 121
Koomen I. & Jeffries P. Effects of antagonistic microorganisms on the post-harvest development of *Colletotrichum gloeosporioides* on mango, 230
Kranz J. *see* Disthaporn S., 313
Kumar V.U., Meera M.S., Shishupala S. & Shetty H.S. Quantification of *Sclerospora graminicola* in tissues of *Pennisetum glaucum* using an enzyme-linked immunosorbent assay, 251
Kuo H.F. *see* Wu W.C., 389

Lacey M.E. *see* McCartney H.A., 280
Laing M.D. *see* Askew D.J., 686
Latif Z., Strange R.N., Bilton J. & Riazuddin S. Production of the phytotoxins, solanapyrones A and C and cytochalasin D among nine isolates of *Ascochyta rabiei*, 172
Latunde-Dada A.O. Biological control of southern blight disease of tomato caused by *Sclerotium rolfsii* with simplified mycelial formulations of *Trichoderma koningii*, 522
Le Saint J.P. *see* Manzanares M.J., 378
Lee S.T. *see* Wu W.C., 389
Leibovich G. *see* Cohen R., 737
Leifert C., Sigee D.C., Stanley R., Knight C. & Epton H.A.S. Biocontrol of *Botrytis cinerea* and *Alternaria brassicicola* on Dutch white cabbage by bacterial antagonists at cold-store temperatures, 270
Leroul N. *see* Bødker L., 820
Lewis B.G. *see* Bødker L., 833
Li H. Studies on the resistance of grape vine to powdery mildew, 792
Lisa V. *see* Caciagli P., 294
Lisa V. *see* Vaira A.M., 530
Lovisolo O. *see* Caciagli P., 294
Lowe R. *see* Harrison J.G., 181
Lucas J.A. *see* Clarkson J.P., 543, 552
Luisoni E. *see* Vaira A.M., 530

Manicom B.Q. & Baayen R.P. Restriction fragment length polymorphisms in *Fusarium oxysporum* f.sp. *dianthi* and other fusaria from *Dianthus* species, 851
Mantle P.G. *see* Frederickson D.E., 368
Manzanares M.J., Corre J., Le Saint J.P. & Hervé Y. Effect of artichoke latent virus and broad bean wilt virus isolate FA on components of growth and yield of globe artichoke, 378
Markham P.G. *see* Pinner M.S., 75
Marley P.S. & Hillocks R.J. The role of phytoalexins in resistance to fusarium wilt in pigeon pea (*Cajanus cajan*), 212
Martin A. *see* Rubiales D., 93
Martinelli J.A., Brown J.K.M. & Wolfe M.S. Effects of barley genotype on induced resistance to powdery mildew, 195
Martínez M.E. *see* Moreno P., 35
Masenga V. *see* Vaira A.M., 530
Maule A.J. *see* Wang D., 42
McCartney H.A., Schmechel D. & Lacey M.E. Aerodynamic diameter of conidia of *Alternaria* species, 280
McComb J.A. *see* Cahill D.M., 865
McDonald D. *see* Sharma S.B., 163

Medina V. *see* Pinner M.S., 75
Meera M.S. *see* Kumar V.U., 251
Meléro-Vara J.M. *see* González-Torres R., 858
Menzies J.G. A strain of *Trichoderma viride* pathogenic to germinating seedlings of cucumber, pepper and tomato, 784
Mepsted R. *see* Flood J., 168
Milne R.G. *see* Vaira A.M., 530
Mor Y. *see* Ben-Yephet Y., 517
Moreno P. *see* Ballester-Olmos J.F., 219
Moreno P. *see* Navas-Castillo J., 339, 347
Moreno P., Guerri J., Ballester-Olmos J.F., Albiach R. & Martínez M.E. Separation and interference of strains from a citrus tristeza virus isolate evidenced by biological activity and double-stranded RNA (dsRNA) analysis, 35
Morris M.J., Wingfield M.J. & de Beer C. Gummosis and wilt of *Acacia mearnsii* in South Africa caused by *Ceratocystis fimbriata*, 814
Morris R.A.C., Coley-Smith J.R. & Whipps J.M. Effects of the mycoparasite *Verticillium biguttatum* on barley stunt disease caused by *Rhizoctonia solani* anastomosis group 8 in a model system, 915
Mosa A.A., Kobayashi K., Ogoshi A., Kato M. & Sato N. Isoenzyme polymorphism and segregation in isolates of *Phytophthora infestans* from Japan, 26
Mridha M.A.U. & Wheeler B.E.J. *In vitro* effects of temperature and wet periods on infection of oilseed rape by *Alternaria brassicae*, 671
Muchovej J.J. *see* Purchio A.F., 818

Nash C. *see* O'Connell R.J., 774
Navarro L. *see* Ballester-Olmos J.F., 219
Navas-Castillo J. & Moreno P. Biological diversity of citrus ringspot isolates in Spain, 347
Navas-Castillo J., Moreno P., Cambra M. & Derrick K. Partial purification of a virus associated with a Spanish isolate of citrus ringspot, 339
Nene Y.L. *see* Sharma S.B., 163
Newhook F.J. *see* Winch J.E., 187
Newton A.C. The effect of humidity on the expansion of partial resistance to powdery mildew in barley, 364
Nicholson P., Jenkinson P., Rezanoor H.N. & Parry D.W. Restriction fragment length polymorphism analysis of variation in *Fusarium* species causing ear blight of cereals, 905
Nicholson P., Rezanoor H.N. & Hollins T.W. Classification of a world-wide collection of isolates of *Pseudocercosporella herpotrichoides* by RFLP analysis of mitochondrial and ribosomal DNA and host range, 58
Niks R.E. *see* Rubiales D., 93

O'Connell R.J., Uronu A.B., Waksman G., Nash C., Keon J.P.R. & Bailey J.A. Hemibiotrophic infection of *Pisum sativum* by *Colletotrichum truncatum*, 774
Ogoshi A. *see* Mosa A.A., 26

Paplomatas E.J. *see* Stapleton J.J., 333
Parameswaran T.N. *see* Kalra A., 827
Paris H.S. *see* Cohen R., 510
Parry D.W. *see* Nicholson P., 905
Paul T. *see* Flood J., 168
Pearce R.B. *see* Bonello P., 203
Pearson M.N., Jackson G.V.H., Pone S.P. & Howitt R.L.J. Vanilla viruses in the South Pacific, 127
Perry K.L., Habili N. & Dietzgen R.G. A varied population of cucumber mosaic virus from peppers, 806
Phillips A.J.L. *see* Crous P.W., 302
Pina J.A. *see* Ballester-Olmos J.F., 219
Pinner M.S., Medina V., Plaskitt K.A. & Markham P.G. Viral inclusions in monocotyledons infected by maize streak and related geminiviruses, 75

Plaskitt K.A. *see* Pinner M.S., 75
Plumbley R.A. *see* Prusky D., 900
Plumbley R.A., Prusky D. & Kobiler I. The effect of hot-water treatment on the levels of antifungal diene and quiescence of *Colletotrichum gloeosporioides* in avocado fruits, 116
Pollastro S. *see* Faretra F., 48
Pone S.P. *see* Pearson M.N., 127
Potter L.R. The effects of white clover mosaic virus on vegetative growth and yield of clones of S.100 white clover, 797
Poupard P., Simonet P., Cavelier N. & Bardin R. Molecular characterization of *Pseudocercosporella herpotrichoides* isolates by amplification of ribosomal DNA internal transcribed spacers, 873
Prew R.D. *see* Gutteridge R.J., 425
Priestley R.A. & Dewey F.M. Development of a monoclonal antibody immunoassay for the eyespot pathogen *Pseudocercosporella herpotrichoides*, 403
Prior P. *see* Grimault V., 589
Prusky D. *see* Plumbley R.A., 116
Prusky D., Plumbley R.A., Kobiler I., Zauberman G. & Fuchs Y. The effect of elevated CO_2 levels on the symptom expression of *Colletotrichum gloeosporioides* on avocado fruits, 900
Psallidas P.G. *Pseudomonas syringae* pv. *avellanae* pathovar nov., the bacterium causing canker disease on *Corylus avellana*, 358
Purchio A.F. & Muchovej J.J. *Commelina agraria*: a new host of *Pyricularia grisea*, 818

Raj S.K., Aminuddin, Srivastava K.M. & Singh B.P. Natural infection of cucumber mosaic virus on *Dianthus barbatus* in India, 811
Ravindra N.S. *see* Kalra A., 827
Reddy M.V. *see* Sharma S.B., 163
Rees E.A. *see* Harrison J.G., 181
Reuven M. *see* Ben-Yephet Y., 517
Rezanoor H.N. *see* Nicholson P., 58, 905
Riazuddin S. *see* Latif Z., 172
Richardson P.N. Stipe necrosis of cultivated mushrooms (*Agaricus bisporus*) associated with a fluorescent pseudomonad, 927
Ridout M.S. *see* Harris D.C., 238
Roberts S.J. Effects of bacterial blight (*Pseudomonas syringae* pv. *pisi*) on the growth and yield of single pea (*Pisum sativum*) plants under glasshouse condition, 568
Robredo F. *see* Brasier C.M., 140
Roggero P. *see* Vaira A.M., 530
Rohloff H. *see* Kaufman A., 413
Royle D.J. *see* Shaw M.W., 882
Rubiales D., Niks R.E., Dekens R.G. & Martin A. Histology of the infection of tritordeum and its parents by cereal brown rusts, 93
Rush M.C. *see* Valverde R.A., 657
Russel H.W. *see* Thottappilly G., 494
Rutherford M.A. *see* Bridge P.D., 264

Sarindu N. & Clark M.F. Antibody production and identity of MLOs associated with sugar-cane whiteleaf disease and bermuda-grass whiteleaf disease from Thailand, 396
Sato N. *see* Mosa A.A., 26
Schmechel D. *see* McCartney H.A., 280
Sdoodee R. & Teakle D.S. Studies on the mechanism of transmission of pollen-associated tobacco streak ilarvirus virus by *Thrips tabaci*, 88
Sharma S.B., Nene Y.L., Reddy M.V. & McDonald D. Effect of *Heterodera cajani* on biomass and grain yield of pigeon pea on vertisol in pot and field experiments, 163
Shaw M.W. & Royle D.J. Factors determining the severity of epidemics of *Mycosphaerella graminicola* (*Septoria tritici*) on winter wheat in the UK, 882
Shetty H.S. *see* Kumar V.U., 251

Shetty K.G. *see* Thakur R.P., 715
Shishupala S. *see* Kumar V.U., 251
Shtienberg D. Effects of *Alternaria macrospora* on the yield components of Pima cotton in Israel, 701
Shtienberg D. *see* Cohen R., 510
Sigee D.C. *see* Leifert C., 270
Simonet P. *see* Poupard P., 873
Simpson C.G. *see* Brown J.K.M., 108
Singh B.P. *see* Raj S.K., 811
Sivapalan A. Effects of impacting rain drops on the growth and development of powdery mildew fungi, 256
Smedegaard-Petersen V. *see* Bødker L., 820
Soomro M.H. *see* Khalid S., 928
Srivastava K.M. *see* Raj S.K., 811
Stanley R. *see* Leifert C., 270
Stapleton J.J., Paplomatas E.J., Wakeman R.J. & DeVay J.E. Establishment of apricot and almond trees using soil mulching with transparent (solarization) and black polyethylene film: effects on Verticillium wilt and tree health, 333
Strange R.N. *see* Latif Z., 172
Swanson M.M. *see* Wong S.M., 137
Swart W.J. *see* Van der Westhuizen I.P., 661

Tahiri-Alaoui A., Dumas-Gaudot E., Gianinazzi S. & Antoniw J.F. Expression of the PR-b_{1^-} gene in roots of two *Nicotiana* species and their amphidiploid hybrid infected with virulent and avirulent races of *Chalara elegans*, 728
Teakle D.S. *see* Sdoodee R., 88
Tesoriero L.A. *see* Gillings M.R., 744
Thakur R.P. & Shetty K.G. Variation in pathogenicity among single-oospore isolates of *Sclerospora graminicola*, the causal organism of downy mildew in pearl millet, 715
Thornton C.R., Dewey F.M. & Gilligan C.A. Development of monoclonal antibody-based immunological assays for the detection of live propagules of *Rhizoctonia solani* in soil, 763
Thottappilly G., Bosque-Pérez N.A. & Rossel H.W. Review. Viruses and virus diseases of maize in tropical Africa, 494
Tiedemann A.V. & Firsching K.H. Effects of ozone exposure and leaf age of wheat on infection processes of *Septoria nodorum* Berk., 287
Tsai J.H. *see* Huang C.H., 100
Turner S.J. *see* Zaheer K., 609
Tushemereirwe W.K. & Waller J.M. Black leaf streak (*Mycosphaerella fijiensis*) in Uganda, 471

Uronu A.B. *see* O'Connell R.J., 774

Vaira A.M., Roggero P., Luisoni E., Masenga V., Milne R.G. & Lisa V. Characterization of two Tospoviruses in Italy: tomato spotted wilt and impatiens necrotic spot, 530
Valverde R.A., Can F. & Rush M.C. Yellow mottle of tomatillo (*Physalis ixocarpa*) caused by physalis mottle virus, 657
Van der Westhuizen I.P., Wingfield M.J., Kemp G.H.J. & Swart W.J. First report of the canker pathogen *Endothia gyrosa* on *Eucalyptus* in South Africa, 661
Velez A. *see* Flood J., 168
Vishnichenko V.K., Konareva T.N. & Zavriev S.K. A new filamentous virus in shallot, 121

Wakeman R.J. *see* Stapleton J.J., 333
Waksman G. *see* O'Connell R.J., 774
Waller J.M. *see* Tushemereirwe W.K., 471
Wang D., Woods R.D., Cockbain A.J., Maule A.J. & Biddle A.J. The susceptibility of pea cultivars to pea seed-borne mosaic virus infection and virus seed transmission in the UK, 42
Wang L.Y. *see* Wu W.C., 389

Watters B.S. *see* Cooke L.R., 432
Wheeler B.E.J. *see* Mridha M.A.U., 671
Whipps J.M. *see* Morris R.A.C., 915
White R.F. *see* Xie W.S., 465
Wilson C.L. *see* Droby S., 418
Winch J.E., Jackson G.V.H., Newhook F.J. & Cole J.S. Blackening on yam in response to *Colletotrichum gloeosporioides*, 187
Wingfield M.J. *see* Crous P.W., 302
Wingfield M.J. *see* Morris M.J., 814
Wingfield M.J. *see* Van der Westhuizen I.P., 661
Wisniewski M. *see* Droby S., 418
Wolfe M.S. *see* Brown J.K.M., 108
Wolfe M.S. *see* Martinelli J.A., 195
Wong S.M., Swanson M.M. & Harrison B.D. A geminivirus causing vein yellowing of *Ageratum conyzoides* in Singapore, 137
Woods R.D. *see* Wang D., 42
Woods R.D. *see* Xie W.S., 465
Wu W.C., Lee S.T., Kuo H.F. & Wang L.Y. Use of phages for identifying the citrus canker bacterium *Xanthomonas campestris* pv. *citri* in Taiwan, 389

Xie W.S., Antoniw J.F., White R.F. & Woods R.D. A third cryptic virus in beet (*Beta vulgaris*), 465

Yang J.R. *see* Harris D.C., 238
Yarham D. Soil-borne spores as a source of inoculum for wheat bunt (*Tilletia caries*), 654

Zaheer K., Fleming C.C. & Turner S.J. Distribution and frequency of occurrence of potato cyst nematode pathotypes in Northern Ireland, 609
Zaqs Y. *see* Elad Y., 324
Zauberman G. *see* Prusky D., 900
Zavriev S.K. *see* Vishnichenko V.K., 121
Zimand G. *see* Elad Y., 324
Zuriel S. *see* Elad Y., 324